



Amendments to and Listing of the Claims:

Please amend claims 1 and 3 - 5, without prejudice, and cancel claims 8-10, without prejudice, as indicated in the following listing of the claims:

1. (Currently Amended) A compound of general formula (I)



wherein R is a group of general formula (A):



wherein

R₁ and R₃ are independently selected from the substituted and unsubstituted group consisting of C₁-C₁₀-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkenyl, C₂-C₁₀-alkenyl, C₆-C₁₄-aryl and a heterocycle, and hydrogen;

R₂ is selected from the substituted and unsubstituted group consisting of C₁-C₆-alkylene, C₃-C₆-cycloalkylene, C₃-C₆-cycloalkenylene, C₂-C₆-alkenylene, C₆-C₁₄-arylene and a heterocycle;




R₁ and R₂ and/or R₂ and R₃ can form a heterocycle optionally containing further nitrogen atoms;

Y is a physiologically compatible anion;


i and n are independently natural numbers ≥ 1 , and

physiologically compatible addition salts,

provided that R is not:




and that if Y is NO_3^- , $[\text{ClO}_4^-]$, ClO_4^- or $[\text{Cl}^-]$, Cl^- , R is not




2. (Original) The compound according to claim 1, wherein Y in general formula (I) is SCN.

3. (Currently Amended) A method of treating a cancer disease comprising administering to a subject having a cancer disease a medicament, containing a pharmaceutical carrier and a compound of general formula (I)



wherein R is a group of the general formula (A)



wherein

R_1 and R_3 are independently selected from the substituted and unsubstituted group consisting of C_1 - C_{10} -alkyl, C_3 - C_6 -cycloalkyl, C_3 - C_6 -cycloalkenyl, C_2 - C_{10} -alkenyl, C_6 - C_{14} -aryl and a heterocycle, and hydrogen;

R_2 is selected from the substituted and unsubstituted group consisting of C_1 - C_6 -alkylene, C_3 - C_6 -cycloalkylene, C_3 - C_6 -cycloalkenylene, C_2 - C_6 -alkenylene, C_6 - C_{14} -arylene and a heterocycle;

R_1 and R_2 and/or R_2 and R_3 can form a heterocycle optionally containing further nitrogen atoms;


Y is a physiologically compatible anion;

i and n are independently natural numbers ≥ 1 , and


physiologically compatible addition salts;

the compound of general formula (I) being present in an amount effective to treat a cancer disease.

4. (Currently Amended) The ~~medicament~~method according to claim 3, wherein R in general formula (I) is:



5. (Currently Amended) The ~~medicament~~method according to claim 3, wherein R in general formula (I) is:



6. (Previously Presented) A method of treating a cancer disease comprising administering to a subject having a cancer disease a compound of general formula (I) according to claim 1.

7. (Previously Presented) A method of treating a cancer disease comprising administering to a subject having a cancer disease a compound of general formula (I) according to claim 2.

8. to 10. (Canceled)